



Att'y Dkt 0800-0023  
PATENT

0360 #5

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231 on 8 August 2001.

8/8/01  
Date

Susan LaMont  
Signature

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:

Peter COLOSI

Serial No.: 09/839,583

Group Art Unit: 1645

Filing Date: April 20, 2001

Examiner: Unassigned

Title: POLYNUCLEOTIDES FOR USE IN RECOMBINANT ADENO-ASSOCIATED VIRUS VIRION PRODUCTION

**SUBMISSION OF FORMAL DRAWINGS**

Assistant Commissioner for Patents

Box Issue Fee

Washington, D.C. 20231

Attention: Official Draftsman

Sir:

In response to the Notice of Incomplete Reply dated July 12, 2001 (copy attached), enclosed are eight (8) sheets of formal drawings in connection with the above identified case.

Respectfully submitted,

Date: 8/8/01

By: [Signature]  
Roberta L. Robins  
Registration No. 33,208

ROBINS & PASTERNAK LLP  
90 Middlefield Road, Suite 200  
Menlo Park, CA 94025  
Telephone: (650) 325-7812  
Fax: (650) 325-7823



## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/839,583	04/20/2001	Peter Colosi	0800-0023 1003/CIP3

20855  
ROBINS & PASTERNAK LLP  
90 MIDDLEFIELD ROAD  
SUITE 200  
MENLO PARK, CA 94025

CONFIRMATION NO. 1417

## FORMALITIES LETTER



\*OC000000006289276\*

Date Mailed: 07/12/2001

## NOTICE OF INCOMPLETE REPLY (NONPROVISIONAL)

*Filing Date Granted*

The U.S. Patent and Trademark Office has received your reply on to the Notice mailed and it has been entered into the nonprovisional application. The reply, however, does not include the following items required in the Notice.

The period of reply remains as set forth in the Notice. You may, however, obtain EXTENSIONS OF TIME under the provisions of 37 CFR 1.136 (a) accompanied by the appropriate fee (37 CFR 1.17(a)).

A complete reply must be timely filed to prevent ABANDONMENT of the above-identified application.

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

  
Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE